6. Green Software Metrics Sustainable Software Engineering **CS4295**



Luís Cruz L.Cruz@tudelft.nl

SustainableSE 2022



1. Metrics 2. Scientific guide part 1

Bitcoin example

 \bullet



- Day-to-day metrics are easy to grasp
 - If we say 8 gigajoules, it's a bit more difficult to understand.
- These numbers keep changing (check it here: <u>https://www.statista.com/</u> statistics/881541/bitcoin-energy-consumption-transaction-comparison-visa/)

1 bitcoin transaction is equivalent to more than 1.5 million VISA transactions.




carbon energy Watts Conserved mAh kwh Conserved efficiency wh Conserved battery



(Electrical) Energy

- Work required to move charged particles.
 - Same concept but different perspective when talking about thermal, mechanical, or nuclear energy.
- Most common units:
 - International System of Units
 - consumption





• joule (J) - recommended; scientific communications; metric from the


• kilowatt-hour (kWh) - more common, e.g., used for household electricity


Power

- Amount of work being done per unit of time.
 - Commonly measured in watts (W).










 \triangle Sometimes you cannot assume that the sampling interval (Δt) is always the same. \triangle





Trapezoid Rule in Python

energy_consumption = np.trapz(power_sample, timestamps)

Average power

$Energy = P_{avg} \cdot \Delta t$

Easy to convert to energy consumption

- Simply multiply by the elapsed time.
- (This is another reason to always collect time data along with energy \bullet metrics.)

Power or Energy?

- <u>Average power consumption makes sense when we report the</u> computer.
- consumption of a bitcoin transaction.

consumption of a continuous use case. E.g., reading an ebook in your

• Energy consumption makes sense in one-off use cases. E.g., energy

Energy Delay Product (EDP)

- Energy consumption metric that penalizes slow runs
 - EDP = E
- Gives more importance to application runtime, with the goal of making both low energy and fast runtime applications.

$$E \times t = \Delta P \times t^2$$

The typical notebook battery has between 2,000 and 6,000 milliamp hours (mAh)

mAh

This is not energy or power. It is a unit of electric charge.









Electric charge

- International System of Units (SI): Coulomb (C).
- 1 electron has 1.602176634×10⁻¹⁹ coulombs. Moving the electron around the electric field requires work (energy consumption).
- mAh is the most common metric to specify the capacity of batteries.
- 1 mAh = 3.6C
- To compute the actual energy of a battery we need to factor in voltage:

E.g., for a battery with a capacity of 1000mAh: lacksquare $1000 \text{mAh} \times 3.8 \text{V} = 3800 \text{mWh} = 3.8 \text{Wh} = 3.8 \times 3600 \text{J} = 13680 \text{J}$

Energy = *Voltage* × *Charge*

Why do we use charge units for batteries?

- cycle.
- lacksquarecapacity.
- Most devices use voltage to compute their battery level percentage.

• There is a continuous change of voltage throughout a charge/discharge

E.g., it can start with 4.5 V at a "100%" capacity and from to 3.0V at 5%

International System of Units (SI)

- Energy: Joule
- Power: Watt
- Charge: Coulomb

SI Units are difficult to grasp

- Whenever talking to a general audience use relative units:
 - Compare to the other well-known things:
 - Yearly household energy consumption
 - Yearly country electrical energy consumption. (e.g., <u>https://ccaf.io/cbeci/index/comparisons</u>)
 - Driving kms with a standard car
 - Percentage of a normal **battery** charge cycle.
 - Compare to other software artefacts/usecases:
 - E.g, percentage of Version A over Version B.



Carbon

- the Global Warming.
- - The most harmful: Carbon Dioxide and Methane.
- The Kyoto protocol, signed in 1997, defines 7 main GHGs. Trifluoride (NF3). https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Glossary:Greenhouse gas (GHG)
- emissions to their carbon dioxide equivalent.

• Greenhouse gas (GHG) emissions by human activities are the main root of

There are many GHGs but they have different impacts on global warming

The other five: Nitrous Oxide (N2O), Hydrofluorocarbons (HFCs), Perfluorocarbons (PFCs), Sulphur Hexafluoride (SF6), and Nitrogen

Since all these GHGs have a different impact in the atmosphere, we convert

Carbon Dioxide Equivalent (CO2-eq)

- A weight function that combines all gas emissions into their carbon dioxide equivalent
- 1kg of Methane (CH4) is estimated to be 21 times more harmful than 1kg of Carbon Dioxide (CO2).
- The weight function relies on the estimation of the impact of GHGs over a period of 100 years when compared to carbon dioxide. Aka 100-global-warming potential (100-GWP).

$$CO_2 eq = \sum_{g \in GHG} (GWP_g \cdot m_g)$$

• Co2-eq is expressed in mass – e.g., $kgCO_2eq$

Greenhouse Gas	100-GWP
Carbon dioxide CO_2	1
Methane CH ₄	21
Nitrous oxide N_2O	310
Sulphur hexafluoride SF_6	23900





Note: - 100-GWP is only an estimation; - different sources reveal different estimations; - there is also the 20-GWP and the 500-GWP.

I use this source: Foster et al. (2017) Changes in Atmospheric Constituents and in Radiative Forcing https://archive.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-chapter2.pdf

Carbon credits (quick detour)

- Strategy used to regulate allowed emissions and to make carbon emission rights tradable.
- Each entity (e.g., company/country) has a budget of carbon credits.
- Entities can buy carbon credits from other entities when they are over budget.
 - In the case of companies, carbon credits can only be bought from GHG mitigation projects.
- 1 carbon credit = 1 tonne CO2-eq
- Consequence: the price of carbon credits is rising and carbon trading is starting to interesting for investors.

Carbon vs Energy

- Energy/Power is more useful at the software usecase level.
- **project** level (e.g., the impact of developing a full software project).
- Choose your metrics wisely ;)


• Carbon is more useful at the infrastructure level (e.g., datacenter) or at the

- Carbon emissions
- How do we go from energy consumption to carbon consumption?

Carbon intensity

- How much carbon is emitted per kWh of electricity <u>consumed</u>.
- The common unit: gCO_2eq/kWh
- locations have different carbon intensity.

• E.g., gas-based power plants emit less carbon than coal-based plants. • The power grid is a mix between different sources of electricity – different





By Asim Hussain: <u>https://principles.green/principles/carbon-intensity/</u>

Reducing software energy consumption can help reduce the carbon intensity. ?

One would expect zero carbon intensity from solarpanels or wind farms, but that's not the case.






Marginal Power Plant

- Renewable-based power plants cannot adapt to demand.
- When demand is higher than the existing power in the electricity grid, we
 need a power plant that is able to scale up to that demand.
 - This is usually done by **fossil-based power plants**. They are called the **marginal power plants**.
- Typically, marginal power plants do not scale down to zero.
 - There is always a minimum carbon that needs to be emitted, even if there is a lot of renewable energy in the grid.





Marginal Carbon Intensity


to an infinitesimal increase/decrease in power demand/supply.

• Increase or decrease in carbon emissions in the electrical grid, in response

- [
I	
I	
I	
I	
l	
l	
ĺ	
l	
Í	
ŀ	

Renewables

Marginal Cost £/MWh



From: "Literature Review: On the effectiveness of a Marginal Carbon Intensity Signal -

Why is marginal carbon intensity relevant for software?

• Tip: consider a task scheduler in a datacenter.

Recap

- Power
- Energy
- Average Power
- Energy Delay Product
- Electric charge (battery capacity)
- Carbon dioxide equivalent (carbon emissions)
 - 100-global-warming potential
- Carbon Intensity •
- Marginal Carbon Intensity